

# Information to Help Register Out-of-Hospital Births

## **Center for Health Statistics and Informatics – Vital Records**

Upon request, this document will be made available in alternate formats. To obtain a copy in an alternate format, please call or write:

California Department of Public Health Vital Records - M.S. 5103 P.O. Box 997410 Sacramento, CA 95899-7410 Telephone: (916) 445-2684 California Relay: 711/1-800-735-2929 Website address: https://www.cdph.ca.gov

## Table of Contents

Information for Physicians and Professionally Licensed Midwives	3
Information for Parents	5
Preparing for the Registration Appointment	7
Frequently Asked Questions	. 11
Resources and Links	. 14
Worksheet Packet What You Need to Know about Your Child's Birth Certificate Importance of Collecting Complete and Accurate Birth Certificate Information Certificate of Live Birth Worksheet Medical Data Supplemental Worksheet, VS 10A	. 15

## Information for Physicians and Professionally Licensed Midwives

Dear Physician or Professionally Licensed Midwife:

The California Department of Public Health-Vital Records (CDPH-VR) understands you recently attended the birth of a child outside of a hospital or state-licensed alternative birth center. Health and Safety Code Section (HSC) 102415 requires that you register the birth of this child with the local registrar within ten days of the birth.

- 1. Please review this pamphlet and complete the enclosed worksheet documents. Share the worksheet with the parent(s) of the child so they can help gather the required information.
- 2. Contact the local registrar for information on their registration process. Many registrars require appointments. A list of the local registrars and their contact information is available at the following link:

Directory of County Vital Records Offices (<u>https://www.cdph.ca.gov/Programs/CHSI/Pages/County-Registrars-and-Recorders.aspx</u>)

- 3. Bring the worksheet documents to the local registrar's office so they can prepare the birth certificate and generate the birth certification page. You will sign the birth certification page as the attendant. You will be required to present valid government-issued photo identification and your current professional license number to the local registrar for verification. If you are not currently licensed as a physician, certified nurse midwife, or licensed midwife, you cannot register the birth. Births attended by unlicensed individuals must be registered by the parents.
- 4. Please advise the parents that they need to visit the local registrar if they will sign the birth certificate as an informant. Parents will be required to present valid government-issued photo identification to the local registrar for verification. Although CDPH-VR suggests that the parents sign the certificate at the time of the appointment, the local registrar can make a separate appointment for the parents.
- 5. Please advise the child's parents that if they are not married to each other or in a State-Registered Domestic Partnership with each other, the non-birthing parent shall not be listed on the birth certificate unless the parents sign a Voluntary Declaration of Parentage before the birth certificate is registered. Local registrar staff are authorized witnesses for the Voluntary Declaration of Parentage. The birth certificate may be amended to add another parent's name at a later date only if parentage for the child has been established by a judgment of a court or by the filing of a voluntary declaration of parentage (HSC 102425). For information on the Parentage Opportunity Program, contact (916) 464-1982 or askpop@dcss.ca.gov, or visit https://childsupport.ca.gov/establishing-legal-parentage/.

The birth will not be registered until all signatures are in place. By law, the birth certificate must be registered within ten days of the birth (HSC 102400). Thank you for your help in registering the birth of this child.

## **Information for Parents**

#### Dear Parents:

Congratulations on the birth of your new baby!

California Department of Public Health-Vital Records (CDPH-VR) wants you to have information on registering your baby's birth so you can obtain their birth certificate. CDPH-VR is providing this information because you did not give birth in a hospital or licensed birth center, where staff would have prepared the birth record and submitted it to the local registrar.

- 1. Determine who is responsible for registering your child's birth:
  - a. If a physician or professionally licensed midwife attended the birth of your child, they are responsible for registering the birth with the local registrar within ten days of birth. Please review this pamphlet and work with your birth attendant to complete the enclosed worksheet documents. Parents need to visit the local registrar if they will sign the birth certificate as an informant. Parents will be required to present valid government-issued photo identification to the local registrar for verification.
  - b. If your child's birth was not attended by a physician or professionally licensed midwife, you are responsible for registering the birth with the local registrar within ten days of birth. Births attended by unlicensed individuals must be registered by the parents. Please review this pamphlet, complete the enclosed worksheet documents to ensure your child's birth certificate is completed correctly, and contact the local registrar for information on their registration process. Many registrars require appointments. A list of the local registrars and their contact information is available at the following link:

Directory of County Vital Records Offices (https://www.cdph.ca.gov/Programs/CHSI/Pages/County-Registrars-and-Recorders.aspx)

2. If a child's parents are not married to each other or in a State-Registered Domestic Partnership with each other, the non-birthing parent shall not be listed on the birth certificate unless the parents sign a Voluntary Declaration of Parentage before the birth certificate is registered. Local registrar staff are authorized witnesses for the Voluntary Declaration of Parentage. The birth certificate may be amended to add another parent's name at a later date only if parentage for the child has been established by a judgment of a court or by the filing of a voluntary declaration of parentage (HSC 102425). For information on the Parentage Opportunity Program, contact (916) 464-1982 or askpop@dcss.ca.gov, or visit <u>https://childsupport.ca.gov/establishing-legalparentage/</u>.

## **Preparing for the Registration Appointment**

Each local registrar has their own process and policies for registering out-of-hospital births. The information and evidence requirements below are suggestions provided to local registrars, parents, and attendants to out-of-hospital births. Please contact the local registrar in the jurisdiction of birth for information on their registration process. A list of local registrars and their contact information are available at the following link:

Directory of County Vital Records Offices (<u>https://www.cdph.ca.gov/Programs/CHSI/Pages/County-Registrars-and-Recorders.aspx</u>)

Complete the worksheet accurately with the facts of birth before the appointment with the local registrar. The information on the worksheet will be used to prepare the baby's birth certificate. HSC 102425 requires that all items be completed or accounted for, including the public health data portion of the worksheet.

If the birth was attended by a physician or professionally licensed midwife, they must complete form VS 10A, which provides supplemental medical information.

### **Evidence of Live Birth in California**

If a physician or professionally licensed midwife attended the birth, they must register the birth, and the parents only need to provide proof to substantiate the identity of the parent(s). If the birth was not attended by a physician or professionally licensed midwife, the parents need to provide proof to substantiate all five facts.

Please bring to your appointment evidence to substantiate these five facts:

- 1. Identity of the parent(s)
- 2. Pregnancy of the person giving birth
- 3. Baby was born alive
- 4. Birth occurred in California
- 5. Identity of the witness (if applicable)

#### Fact 1: Identity of the Parents

A valid picture identification card issued to the parents by a government agency can be provided to prove identity. Following are some recommended documents that can be used (only the original or a certified copy is acceptable):

- A driver's license or identification card issued by a United States (U.S.) Department of Motor Vehicles Office.
- U.S. passport.
- U.S. military identification card.
- Permanent Resident Card (Green Card).
- Other valid picture identification card issued by a foreign government. (If the parents gave birth in California but are not here legally, they may be able to obtain identification verification from their consulate.)

## Fact 2: Pregnancy of the Person Giving Birth

To substantiate the pregnancy of the person giving birth, the parents may provide a pregnancy test verification form or a letter that meets all of the following conditions:

- From a physician, professionally licensed midwife, or clinic.
- Written on the doctor, midwife, or clinic official letterhead (not on a prescription pad).
- Signed (not stamped) by the doctor, midwife, or clinic representative or nurse.
- Contains the current issued professional license number of the physician or midwife who signed the letter.

The pregnancy test verification form or letter must include all of the following information:

- The name of person giving birth.
- The date when the person giving birth was first seen by the doctor or midwife (this date may be after the date of birth).
- The results of the person giving birth's prenatal or postpartum exams or pregnancy tests.
- The date of the person giving birth's last menstrual period.
- The date the baby was born, or was expected to be born (due date).

## Fact 3: Baby was Born Alive

The parent must provide proof that the child was born alive if there was no physician or professionally licensed midwife that attended the birth. Suggested methods of proving live birth include, but are not limited to:

- 1. Bringing the baby to the interview.
- 2. Affidavit from a physician, nurse, nurse practitioner, or physician assistant who has provided care to the baby after the birth (license number and signature must be on the hospital or clinic letterhead).
- 3. A FaceTime video in real time with the child who is at home in the presence of the local registrar staff.
- 4. A verified video chat (with a valid date within one year of the date of birth) where the baby is present.
- 5. A statement from a clergy who baptized the child.

If the evidence provided is suspected to be fraudulent, the local registrar staff can decide on a case by case basis if more information is necessary to make the birth certificate complete before acceptance for registration.

## Fact 4: Birth Occurred in California

The local registrar needs information showing that the person giving birth was in California on the date that the birth occurred. Documentation to confirm the person giving birth's presence in California on the date the birth occurred may include any of the following:

• If the birth occurred at the person giving birth's residence, provide an electric power, natural gas, or water bill for the period when the birth occurred. The copy of the bill (or statement from the company) must include the name of the utility

company, the address of the residence where the birth occurred, and the name of either parent who is listed on the birth certificate.

- An affidavit from someone who was with the person giving birth at the time of the baby's birth. The affidavit must contain the address of the person with the person giving birth, and the location of the birth.
- A current rent receipt or other similar document that shows the name of either parent and current address.
- A statement from a state or local government agency that requires proof of residency in California that the person giving birth was receiving services on the date of the baby's birth (e.g., WIC or Medi-Cal)

## Fact 5: Identity of the Witness (if applicable)

It is not mandatory for the witness to accompany the parents to the appointment if there was no physician or certified nurse midwife/licensed midwife that attended the birth. However, if the parents are using a witness to prove any of the other facts, then the witness needs to accompany the parents to the appointment to prove their identity. A witness may include any of the following:

- Spouse or other family member
- Friend
- Paramedic or fire department staff

If a paramedic or fire department staff was present at the birth, you can obtain a copy of the official report stating the treatment or service they provided (there may be a fee for the report). The staff does not have to be present at the appointment, nor do you have to bring a copy of their identification.

If the paramedic arrived after the baby's birth, bring a copy of the 911 call or an official report of the contents of the 911 call, along with a copy of the paramedic's report.

- If the paramedic cut the umbilical cord, or was present when the umbilical cord was cut, the report should so state.
- If the paramedic delivered the placenta, the report should so state.

**Valid ID for Witness:** A valid picture identification card issued to the witness by a government agency must be provided to prove identity. Following are some recommended documents that can be used (only the original or a certified copy is acceptable):

- A driver's license or identification card issued by a United States (U.S.) Department of Motor Vehicles Office.
- U.S. passport.
- U.S. military identification card.
- Permanent Resident Card (Green Card).
- Other valid picture identification card issued by a foreign government. (If the witness is not in California legally, they may be able to get identification verification from their consulate.)

### Verification

The local registrar may verify the accuracy of all information provided to register an outof-hospital birth.

#### Local Registrar's Duty to Register

There is no legal authority for the local registrar to refuse to register the birth certificate. However, the local registrar is allowed to request additional information until they are satisfied the record is suitable for registration. HSC 102305 states, "The local registrar of births and deaths shall carefully examine each certificate before acceptance for registration and, if any are not completed in a manner consistent with the policies established by the State Registrar, he or she shall require further information to be furnished as may be necessary to make the record consistent with those policies before acceptance for registration."

#### **Frequently Asked Questions**

#### Who is required to register out-of-hospital births?

When a baby is born outside a hospital, the physician or certified nurse midwife/licensed midwife who attended the birth is responsible for registering the birth with the local registrar in the county where the birth occurred (HSC 102415). If the out-of-hospital birth was not attended by a physician or professionally licensed midwife, either one of the parents is responsible for registering the birth

#### When must out-of-hospital births be registered?

By law, births must be registered with the local registrar within ten days of the birth (HSC 102400). There is no fee to register the birth with the local registrar within the first year.

Any birth registered on or after the child's first birthday must be processed by CDPH-VR as a Delayed Registration of Birth. If the requirements cannot be met for a Delayed Registration of Birth, another option is to apply to the local Superior Court for a Court Order Delayed Registration of Birth. More information on these processes is available at the following link:

#### Correcting or Amending Vital Records

(<u>https://www.cdph.ca.gov/Programs/CHSI/Pages/Correcting-or-Amending-Vital-Records.aspx</u>)

#### Why do births need to be registered?

All births need to be registered to comply with state law. The birth must be registered before a certified copy of the birth certificate can be obtained. During a child's life, they will need a certified copy of their birth certificate to:

- Obtain a Social Security Number
- Apply for a Driver's License
- Enroll in School
- Travel or Obtain a Passport
- Register to Participate in Sports
- Apply for Various Benefits (Social Security, Military)

Birth certificates are also valuable to establish:

- Proof of Parentage
- Inheritance Rights
- Identity
- Citizenship

#### How can I make sure the birth certificate is completed correctly?

Ensure that the worksheet documents are completed fully with accurate information, as this information is used to create the birth certificate. The local registrar will print a working copy of the birth certificate for you to review. Please review the entire working copy of the baby's birth certificate for accuracy before signing the Birth Certification

# Information to Help Register Out-of-Hospital Births

Page. If there are any errors, inform the local registrar immediately. Once the record has been registered, any corrections, such as misspellings or omissions, must be made through CDPH-VR, the amendment may be a second page of the birth certificate, and a fee may be charged. The <u>processing time</u> for amendments can be located on the CDPH-VR website: (<u>https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records-Processing-Times.aspx</u>).

#### Am I required to complete all information on the worksheet?

All information is required by law, except for the following fields, which apply to both parents. Although not required, this information is very important for understanding pregnancy outcomes and developing needed programs.

- Race and Ethnicity
- Education
- Usual Occupation
- Usual Kind of Business or Industry
- Social Security Numbers

There are three fields on the worksheet marked, "Hospital or Attendant Use Only":

- Complications and Procedures of Pregnancy and Concurrent Illnesses
- Complications and Procedures of Labor and Delivery
- Abnormal Conditions and Clinical Procedures Related to the Newborn

These three fields are required for births attended by a physician or professionally licensed midwife attended births. This information is not required if the parents are registering the birth.

The information regarding Women, Infants & Children (WIC), average number of cigarettes/packs per day, birth parent prepregnancy and delivery weight, birth parent height, and APGAR score marked under "Medical and Health Data: Birth Parent and Newborn" will not be transcribed onto the actual birth certificate.

#### Who collects the information on the birth certificate?

The birth certificate information is collected by the local health department who prepares the birth record and transmits it to the California Department of Public Health - Vital Records. State registered birth certificate information is then sent to the National Center for Health Statistics, Centers for Disease Control and Prevention.

#### How is the information on the birth certificate used?

The information collected is used to record what happened during pregnancy, labor and delivery, and any issues the newborn experienced. The information will be used to understand and help prevent birth defects, preterm births, maternal deaths, and other labor, delivery and birth outcomes. Information collected also assists local and state public health leaders in making decisions that address programs needed in the community such as diabetes care, teen pregnancy, WIC, etc.

#### How can I obtain a certified copy of the birth certificate?

You will not automatically receive a copy of your baby's birth certificate. Once the birth is registered, you can purchase a certified copy of the birth certificate from the local registrar or County Recorder in the county where your child was born, or from CDPH-VR. The fees and processing times may vary between these offices.

#### How can I obtain a Social Security number for my child?

The Social Security Administration guidance limits the Enumeration at Birth program to hospital births. You can request a Social Security number for your child by contacting the nearest Social Security office. There is never a charge for a Social Security number and card from the Social Security Administration. For more information about Social Security, contact your nearest Social Security Office or call (800) 772-1213 (toll-free). You can also visit <u>Social Security's website</u> (https://www.socialsecurity.gov/).

### **Resources and Links**

<u>Directory of County Vital Records Offices</u> including local registrars (https://www.cdph.ca.gov/Programs/CHSI/Pages/County-Registrars-and-Recorders.aspx)

Parentage Opportunity Program (<u>https://childsupport.ca.gov/establishing-legal-parentage/</u>)

<u>Social Security Administration (SSA)</u> (https://www.socialsecurity.gov/)

<u>California Department of Public Health Home Page</u> (https://www.cdph.ca.gov/)

#### **Obtaining Certified Copies of Birth Records**

(https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records-Obtaining-Certified-Copies-of-Birth--Death-Records.aspx)

**Amendments** 

(https://www.cdph.ca.gov/Programs/CHSI/Pages/Correcting-or-Amending-Vital-Records.aspx)

Processing Times (https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records-Processing-Times.asp

## What You Need to Know about Your Child's Birth Certificate

# Your child's birth certificate lasts forever. Please be certain the information on the certificate is accurate and complete before you sign it.

- The birth certificate is a legal document.
- An amendment form is required to make corrections to the birth certificate.
- The birth certificate will become a <u>two-page document</u> if an amendment is requested after the original has been processed.
- Many changes on the birth certificate <u>require the applicant to go to court</u> for a court order, including reversing the order of last names (surnames).
- Parents may have problems receiving benefits, traveling on an airline, or obtaining a passport or Social Security number for their child if the birth certificate is not true and correct.
- It can take several weeks to apply an amendment. The processing time for amendments can be located on the California Department of Public Health-Vital Records website at <u>https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records.aspx</u>.

## Common mistakes that require amendments or court orders:

- Misspelled first, middle, or last names of child and/or parents
- Incorrect birth place or date of birth of parent(s)
- Reversed order of last names (surnames)
- Adding additional names to parent(s) or child later
- Incorrect sex of child
- Incorrect birth date

Errors on birth certificates **<u>cannot</u>** be corrected on the original certificate.

The **original** birth certificate **does not** change, but an amendment is attached to create a **two-page** document.

✓ Parents, please review the information on the birth certificate carefully before you sign it.

✓ Your signature confirms that you have reviewed the information and that the facts are correct.

Amendment forms may be obtained at the local health department or county recorder's office, or online at <a href="https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records.aspx">https://www.cdph.ca.gov/Programs/CHSI/Pages/Vital-Records.aspx</a>.



# Importance of Collecting Complete and Accurate Birth Certificate Information

Why is the birth certificate information collected?	The birth certificate information is collected based on California Health and Safety Code (HSC) sections 102425 and 102426. This law lists all the information required on the California birth certificate. This law also makes all medical information confidential.
What is the birth certificate information used for?	The information collected is used to record what happened during pregnancy, labor and delivery, and any issues the newborn experienced. The information will be used to understand and help prevent birth defects, preterm births, maternal deaths, and other labor, delivery and birth outcomes. Information collected also assists local and state public health leaders in making decisions that address programs needed in the community such as diabetes care, teen pregnancy, Women, Infants & Children (WIC), etc.
What birth certificate information is confidential on the birth certificate?	All medical information is considered confidential and is not released to the public. This includes the parents' race, education, occupation, Social Security number(s), and address. Access to the confidential portion of the birth certificate is limited to the California Department of Public Health, California Department of Health Care Services, California Department of Finance, ScholarShare Investment Board, local health department, persons with a valid scientific interest as determined by the State Registrar, Committee for Protection of Human Subjects, parent who signed the certificate or parent giving birth, the child named on the birth certificate, and the hospital responsible for preparing and submitting the birth record. Reference HSC 102430.
What if the parent does not want to provide the information?	All information is required by law with the exception of the parents' race, occupation, education, and Social Security number(s). Although not required, race, occupation, and education are very important for understanding negative outcomes and developing needed programs.
Who collects the birth certificate information?	The birth certificate information is collected by the birth clerk and it is sent to the local health department who forwards it to the California Department of Public Health - Vital Records. State registered birth certificate information is then sent to the National Center for Health Statistics, Centers for Disease Control and Prevention.
Who should I contact if I still have questions?	Please contact the California Department of Public Health - Vital Records at (916) 445-2684.

PARENT CONTACT INFORMATION

Certificate of Live Birth Works	sheet	Parent Name
Please complete this information to pre	pare your child's birth certificate.	Parent Signature
Name of Child:		Phone:
1A. First Name:		
1B. Middle Name:		
Suffix (Optional):		
2. Sex: All Male Female Nonbina	ary 🗆 Unknown/Undetermined	
	<ul> <li>□ Triplet</li> <li>□ Quadruplet</li> <li>□ Septuplet</li> <li>□ Octuplet or More</li> </ul>	🗆 Unknown
<b>3B.</b> Birth Order: $\Box$ 1 <sup>st</sup> $\Box$ 2 <sup>nd</sup> $\Box$ 3 <sup>rd</sup>	$\Box 4^{th} \Box 5^{th} \Box 6^{th} \Box 7^{th} \Box 8^{th} \text{ or m}$	ore 🗆 Unknown
4A. Date of Birth:	4B. Time of Birth:	
5A. Place of Birth:		
5B. Street Address:		
<b>5C.</b> City:	<b>5D.</b> County:	Zip Code:
court order is presented. If only one pa         9A. First Name:	rent is listed on the birth certificate, th	
<b>9D.</b> Relationship to Child (Optional):	lother □ Father □ Parent	
<ul> <li>US Territory. Territory Name: _</li> <li>Canadian Province. Province Next Constant C</li></ul>	Name: : try from the dropdown in EBRS)	
<b>11.</b> Birth Date:		

Birth Name of <u>Parent Not Giving Birth or Intended Parent</u> (Fields 6A, 6B, 6C, on child's birth certificate):
6A. First Name:
6B. Middle Name:
6C. Last Name:
Suffix: 🗆 I 🗆 II 🗆 III 🗆 IV 🗆 V 🗆 VI 🗆 VII 🗆 VIII 🗆 IX 🗆 X 🗆 JR 🗆 SR
6D. Relationship to Child (Optional):
<ul> <li>7. Birth State/Foreign Country:</li> <li>US State. State Name:</li></ul>
<ul> <li>32. 6A-6C/Parent Social Security Number:</li></ul>
□ Withheld □ None □ Unknown If the parents are not married or in an SRDP, then the biological or intended parents may sign the Voluntary Declaration of Parentage (VDOP) form to list the biological parent not giving birth or intended parent in fields 6A, 6B, 6C at the time of birth.
Reference Health and Safety Code Section 102425(a)(4). Additional parents may be added through the amendment process after the certificate is registered.

Are parents married or in a State Registered Partnership (SRDP), or is there a certified surrogate court order?

□ Yes □ No □ Unknown

If the parents are not married, do the parents want to sign a VDOP to add the father to the birth certificate?

 $\Box$  Yes  $\Box$  No

Page 3

Father or Parent Information

#### Field 19 (Eathor or Da - 43

Field 19 (Father or Parent)		<u>Field 22 (Mother)</u>	
Is the father or parent Hispanic	c, Latino, or Spanish?	Is the mother Hispanic, Latina	, or Spanish?
□Yes If Yes, please specify: □Cuban		□Yes If Yes, please specify: □Cuban	
□No	□Mexican	□No	□Mexican
□Unknown	□Puerto Rican	□Unknown	□Puerto Rican
□Withheld	□Other	□Withheld	□Other

Mother Information

#### Fields 18 and 21

Up to three races may be entered for each parent on the birth certificate. Unless otherwise specified, the selected race(s) will print on the certificate. If the parent(s) would like a different description to print on the certificate, enter it in the space provided.

Field 18 (Father or Parent)	<u>Field 21 (Mother)</u>
White	White
Black or African American         Black         African American	Black or African American          Black
Hispanic         Mexican         Mexican American         Other Hispanic, specify	Hispanic Mexican Mexican American Other Hispanic, specify
American Indian or Alaskan Native         □Alaska Native         □Eskimo         □Aleut         □Native American         □American Indian	American Indian or Alaskan Native         □Alaska Native         □Eskimo         □Aleut         □Native American         □American Indian
Asian         Chinese	Asian         Chinese         Japanese         Filipino         Korean         Vietnamese         Asian Indian         Cambodian         Thai         Laotian         Hmong         Other Asian, specify
Native Hawaiian or Other Pacific Islander         Native Hawaiian         Guamanian         Samoan         Other Pacific Islander, specify	Native Hawaiian or Other Pacific Islander         Native Hawaiian         Guamanian         Samoan         Other Pacific Islander, specify
Unknown or Other Unknown Other Other Other Other Other	Unknown or Other           Unknown           Other           Other           Other           Other
<b>Withheld</b> □Withheld	Withheld □Withheld

#### Page 4

20C. Father or Parent Education: (Enter Highest Level or Degree of School Completed)

□ 0-11 <sup>th</sup> Grade. Highest Grade Comple	
□ High School Diploma	General Equivalency Diploma (GED)     Accessional Degree
<ul> <li>Some College (No degree)</li> <li>Bachelor's Degree</li> </ul>	☐ Associate's Degree ☐ Master's Degree
Doctorate Degree	Professional Degree
<b>20A.</b> Father or Parent Usual Occupation:	
<b>ZUA.</b> Father of Parent Osual Occupation.	
Work done for the longest period of time. Do not enter	r company name.
20B. Father or Parent Kind of Business/Industry	
Do <b>not</b> enter company name.	
23C. Mother Education: (Enter Highest Level or	Degree of School Completed)
□ 0-11 <sup>th</sup> Grade. Highest Grade Comple	eted:  □ 12 <sup>th</sup> Grade with No Diploma
□ High School Diploma	General Equivalency Diploma (GED)
Some College (No degree)	□ Associate's Degree
Bachelor's Degree	□ Master's Degree
Doctorate Degree	Professional Degree
23A. Mother Usual Occupation:	
Work done for the longest period of time. Do not enter	r company name.
23B. Mother Kind of Business/Industry:	
Do <b>not</b> enter company name.	
24D. Parent Giving Birth Residence Address (Re	equired. P.O. Boxes Are Not Acceptable.)
	•
	State/Province:
	Country:
Medical and Health Data: Birth Parent and Ne	awborn and a second s
Did the person giving birth receive Women, Infan	nts and Children (WIC) food while pregnant?
Did the person giving birth smoke before or durin	ng the pregnancy? Enter number of cigarettes smoked per day as follows:
During the three months prior to becom	ning pregnant:
□ Did not smoke	
□ Cigarettes. # per day	
□ Packs. # per day	
During the first three months of pregna	ncy:
Did not smoke	

- □ Cigarettes. # per day\_\_\_\_\_
- □ Packs. # per day\_\_\_\_\_
- 🗆 Unknown

During the second three months of pregna	ncy:	
□ Did not smoke		
□ Cigarettes. # per day		
Packs. # per day		
During the last three months of pregnancy		
Did not smoke		
Cigarettes. # per day		
Packs. # per day		
Birth Parent: Prepregnancy Weight:	_ Delivery Weight:	Height:
APGAR score (5 minute): APGAR	APGAR score (10 minute	ute):
25A. Date Last Normal Menses Began: (if exact dat		
25AA. Date of First Prenatal Care Visit: (if exact dat		
<b>25B.</b> Month Prenatal Care Began: (e.g., 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> , Unknown, etc.)	_ <b>25BA.</b> Date of Last Pr (Do not enter deli	Prenatal Care Visit:
	isits to ER; visit to confir e: ces (02)	stimate additional prenatal visits when the prenatal record is not nfirm pregnancy; nutritionist; dietitian; health educator, etc. Norma
□ Self Pay (09)		
Medi-Cal, with CPSP Support Services	(13)	
□ Other (14)		
🗆 Unknown (99)		
26. Birthweight in Grams:26A. O	bstetric Estimate of Ges	estation: (Completed Weeks)
<ul> <li>26B. Hearing Screening:</li> <li>Pass Both</li> <li>Refer One</li> <li>Refer Both</li> <li>Results Pending</li> <li>Waived</li> <li>Not Med Indicated</li> <li>Test Not Available</li> </ul>		
27A. Number of Previous Live Births Now Living:	<b>27B</b> . Nu	Number of Previous Live Births Now Dead:
27C. Date of Last Live Birth:	(Do not count this	this child.)
27D. Number of Miscarriages Before 20 Weeks: (Do	o not count abortions)	27E. After 20 Weeks:
27F. Date of Last Miscarriage:		

0	
28A. Method of Delivery         28AA. Final Delivery Route:	
28AB. Number of Previous Cesarean(s):	
28AC. Fetal Presentation:	
28AD. Forceps Attempted, But Unsuccessful:	28AE. Vacuum Attempted, But Unsuccessful:
□ Yes	□ Yes
□ No	□ No
	Unknown
28B. Expected Source of Payment for Delivery:	
Medically Unattended Birth (00)	
□ Medi-Cal (02)	
□ Other Governmental Programs (Federal, State, Local) (05)	
□ Private Insurance (07)	
□ Self Pay (09)	
$\Box$ Other (14)	

HOSPITAL OR ATTENDANT USE ONLY

□ Indian Health Service (15)□ CHAMPUS/TRICARE (16)

Unknown (99)

<b>29.</b> Complications and Procedures of Pregnancy and Concurrent Illnesses:		
Codes to Enter? 🗆 Yes 🛛 No 🖓 Unknown		
(If Yes, Hospital Staff or Attendant Circle the Appropriate Codes on VS 10A)		
<b>30.</b> Complications and Procedures of Labor and Delivery:		
Codes to Enter? 🗆 Yes 🛛 No 🖓 Unknown		
(If Yes, Hospital Staff or Attendant Circle the Appropriate Codes on VS 10A)		

**31.** Abnormal Conditions and Clinical Procedures Relating to the Newborn:

Codes to Enter? 
Yes No Unknown
(If Yes, Hospital Staff or Attendant Circle the Appropriate Codes on VS 10A)

#### ATTENDANT CERTIFICATION

I hereby certify and affirm that all the information shown on this worksheet is true and correct to the best of my knowledge.

Name:	Signature:	
Address:		
City:	State:	Zip Code:
State License Number: Date Signed: _		Phone:
WITNESS INFORMATION - If applicable		
Name:	Signature:	
Relationship to Child: Date:		_ Phone:

## CERTIFICATES OF LIVE BIRTH AND FETAL DEATH MEDICAL DATA SUPPLEMENTAL WORKSHEET VS 10A (Rev. 1/2006)

m 25D. (Birth) PRINCIPAL SOURCE Of m 29D. (Fetal Death) (Enter only 1 code)	OF PAYMENT FOR PRENATAL CARE
<ol> <li>Medi-Cal, without CPSP Support Services</li> <li>Medi-Cal, with CPSP Support Services</li> </ol>	07 Private Insurance Company 09 Self Pay 09 Na Branatel Care
5 Other Government Programs (Federal, State, Local)	14 Other 00 No Prenatal Care
tem 28A. (Birth) METHOD OF DELIVERY tem 32A (Fetal Death) (Enter only 1 code/number	r under each section, separated by commas: A,B,C,D,E,F)
A. Final delivery route	B. If mother had a previous Cesarean—How many?
01 Cesarean—primary	(Enter 0 – 9, or U if Unknown)
11 Cesarean—primary, with trial of labor attempted	C. Fetal presentation at birth
<ul> <li>21 Cesarean—primary, with vacuum</li> <li>31 Cesarean—primary, with vacuum &amp; trial of labor atter</li> </ul>	· · · · · · · · · · · · · · · · · · ·
02 Cesarean—repeat	30 Breech fetal presentation at delivery
12 Cesarean—repeat, with trial of labor attempted	40 Other fetal presentation at delivery
<ul> <li>22 Cesarean—repeat, with vacuum</li> <li>32 Cesarean—repeat, with vacuum &amp; trial of labor atter</li> </ul>	
03 Vaginal—spontaneous	D. Was vaginal delivery with forceps attempted, but unsuccessful?
04 Vaginal—spontaneous, after previous Cesarean	50 Yes 58 No 59 Unknown
05 Vaginal—forceps 15 Vaginal—forceps, after previous Cesarean	E. Was vaginal delivery with vacuum attempted, but unsuccessful?
06 Vaginal—vacuum	60 Yes 68 No 69 Unknown
16 Vaginal—vacuum, after previous Cesarean	F. Hysterotomy/Hysterectomy (Fetal Death Only)
88 Not Delivered (Fetal Death Only)	70 Yes 78 No
tem 28B. (Birth) EXPECTED PRINCIPAL S tem 32B (Fetal Death) (Enter only 1 code)	SOURCE OF PAYMENT FOR DELIVERY
	Government Programs (Federal, State, Local) 14 Other
5 Indian Health Service 07 Private	Insurance 99 Unknown
6 CHAMPUS/TRICARE 09 Self Pay	
tem 33. (Fetal Death) (Enter up to 16 codes, separate DIABETES	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS
tem 33. (Fetal Death) (Enter up to 16 codes, sepa	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia
tem 33. (Fetal Death)(Enter up to 16 codes, separationDIABETES09Prepregnancy (Diagnosis prior to this pregnancy)	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea
tem 33. (Fetal Death)(Enter up to 16 codes, separationDIABETES09Prepregnancy (Diagnosis prior to this pregnancy)31Gestational (Diagnosis in this pregnancy)HYPERTENSION03Prepregnancy (Chronic)	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus
tem 33. (Fetal Death)(Enter up to 16 codes, separationDIABETES09Prepregnancy (Diagnosis prior to this pregnancy)31Gestational (Diagnosis in this pregnancy)HYPERTENSION03Prepregnancy (Chronic)01Gestational (PIH, Preeclampsia)	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier)
tem 33. (Fetal Death)(Enter up to 16 codes, separationDIABETES09Prepregnancy (Diagnosis prior to this pregnancy)31Gestational (Diagnosis in this pregnancy)HYPERTENSION03Prepregnancy (Chronic)01Gestational (PIH, Preeclampsia)02Eclampsia	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus
tem 33. (Fetal Death)(Enter up to 16 codes, separationDIABETES09Prepregnancy (Diagnosis prior to this pregnancy)31Gestational (Diagnosis in this pregnancy)HYPERTENSION0303Prepregnancy (Chronic)01Gestational (PIH, Preeclampsia)02EclampsiaOTHER COMPLICATIONS/PREGNANCIES	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only)
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES barated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only)
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES         parated by commas, for the most important complications/procedures.)         INFECTIONS PRESENT AND/OR TREATED DURING THIS         PREGNANCY         42       Chlamydia         43       Gonorrhea         44       Group B streptococcus         18       Hepatitis B (acute infection or carrier)         45       Hepatitis C         16       Herpes simplex virus (HSV)         46       Syphilis         47       Cytomegalovirus (Fetal Death Only)         48       Listeria (Fetal Death Only)         49       Parvovirus (Fetal Death Only)
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES         parated by commas, for the most important complications/procedures.)         INFECTIONS PRESENT AND/OR TREATED DURING THIS         PREGNANCY         42       Chlamydia         43       Gonorrhea         44       Group B streptococcus         18       Hepatitis B (acute infection or carrier)         45       Hepatitis C         16       Herpes simplex virus (HSV)         46       Syphilis         47       Cytomegalovirus (Fetal Death Only)         48       Listeria (Fetal Death Only)         50       Toxoplasmosis (Fetal Death Only)
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only)
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the separation	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 71 PRENATAL SCREENING DONE FOR INFECTIOUS DISEASES 51 Chlamydia
tem 33. (Fetal Death)       (Enter up to 16 codes, separation of the set of th	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 7) 9 PRENATAL SCREENING DONE FOR INFECTIOUS DISEASES 51 Chlamydia 52 Gonorrhea
<ul> <li>(Enter up to 16 codes, separation of the separation of th</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 61 Chlamydia 52 Gonorrhea 53 Group B streptococcal infection
<ul> <li>(Enter up to 16 codes, separation of the set separation of the set separation of the set set of the set of the set of the set set of the set of</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES         parated by commas, for the most important complications/procedures.)         INFECTIONS PRESENT AND/OR TREATED DURING THIS         PREGNANCY         42       Chlamydia         43       Gonorrhea         44       Group B streptococcus         18       Hepatitis B (acute infection or carrier)         45       Hepatitis C         16       Herpes simplex virus (HSV)         46       Syphilis         47       Cytomegalovirus (Fetal Death Only)         48       Listeria (Fetal Death Only)         49       Parvovirus (Fetal Death Only)         50       Toxoplasmosis (Fetal Death Only)         51       Chlamydia         52       Gonorrhea         53       Group B streptococccal infection         54       Hepatitis B
<ul> <li>(Enter up to 16 codes, separation of the set separation of the set set of the set of the set set set of the set set set of the set set set of the set set set set set set set set set se</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 9 PRENATAL SCREENING DONE FOR INFECTIOUS DISEASES 51 Chlamydia 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B
<ul> <li>(Enter up to 16 codes, separation of the second s</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES         parated by commas, for the most important complications/procedures.)         INFECTIONS PRESENT AND/OR TREATED DURING THIS         PREGNANCY         42       Chlamydia         43       Gonorrhea         44       Group B streptococcus         18       Hepatitis B (acute infection or carrier)         45       Hepatitis C         16       Herpes simplex virus (HSV)         46       Syphilis         47       Cytomegalovirus (Fetal Death Only)         48       Listeria (Fetal Death Only)         50       Toxoplasmosis (Fetal Death Only)         50       Toxoplasmosis (Fetal Death Only)         6       Syphilis         51       Chlamydia         52       Gonorrhea         53       Group B streptococcal infection         54       Hepatitis B         55       Human immunodeficiency virus (offered)         56       Syphilis
<ul> <li>JABETES <ul> <li>Prepregnancy (Diagnosis prior to this pregnancy)</li> <li>Gestational (Diagnosis prior to this pregnancy)</li> <li>Gestational (Diagnosis in this pregnancy)</li> </ul> </li> <li>HYPERTENSION <ul> <li>Prepregnancy (Chronic)</li> <li>Gestational (PIH, Preeclampsia)</li> <li>Eclampsia</li> </ul> </li> <li>OTHER COMPLICATIONS/PREGNANCIES <ul> <li>Large fibroids</li> <li>Asthma</li> <li>Multiple pregnancy (more than 1 fetus this pregnancy)</li> <li>Previous preterm birth (less than 37 weeks gestation</li> <li>Other previous poor pregnancy outcomes (Includes perinatal death, small-for-gestational age/intrautering growth restricted birth, large for gestational age, etc.</li> </ul> </li> <li>OBSTETRIC PROCEDURES <ul> <li>Cervical cerclage</li> <li>Tocolysis</li> <li>External cephalic version—Successful</li> <li>External cephalic version—Failed</li> </ul> </li> </ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Chlamydia 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED
<ul> <li>(Enter up to 16 codes, separation of the second s</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESS parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 48 Listeria (Fetal Death Only) 49 Parvovirus (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Chlamydia 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED 00 None
<ul> <li>JABETES <ul> <li>Prepregnancy (Diagnosis prior to this pregnancy)</li> <li>Gestational (Diagnosis prior to this pregnancy)</li> <li>Gestational (Diagnosis in this pregnancy)</li> </ul> </li> <li>HYPERTENSION <ul> <li>Prepregnancy (Chronic)</li> <li>Gestational (PIH, Preeclampsia)</li> <li>Eclampsia</li> </ul> </li> <li>OTHER COMPLICATIONS/PREGNANCIES <ul> <li>Large fibroids</li> <li>Asthma</li> <li>Multiple pregnancy (more than 1 fetus this pregnancy)</li> <li>Previous preterm birth (less than 37 weeks gestation</li> <li>Other previous poor pregnancy outcomes (Includes perinatal death, small-for-gestational age/intrautering growth restricted birth, large for gestational age, etc.</li> </ul> </li> <li>OBSTETRIC PROCEDURES <ul> <li>Cervical cerclage</li> <li>Tocolysis</li> <li>External cephalic version—Successful</li> <li>External cephalic version—Failed</li> </ul> </li> </ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESS parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 48 Listeria (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Chlamydia 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis 56 Syphilis 57 NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED 00 None 30 Other Pregnancy Complications/Procedures not Listed
<ul> <li>Jerr up to 16 codes, separation (Enter up to 16 codes, separation of the se</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 48 Listeria (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Chlamydia 52 Gonorrhea 51 Chlamydia 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis 56 Syphilis 57 NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED 00 None 30 Other Pregnancy Complications/Procedures not Listed EPIDEMICS AND/OR DISASTERS
<ul> <li>Jerr up to 16 codes, separation (Enter up to 16 codes, separation of the se</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 48 Listeria (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Coxplasmosis (Fetal Death Only) 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis 55 Human immunodeficiency virus (offered) 56 Syphilis 50 Other Pregnancy Complications/Procedures not Listed EPIDEMICS AND/OR DISASTERS 91 COVID 19 Engrumod
<ul> <li>Jerr up to 16 codes, separation (Enter up to 16 codes, separation of the se</li></ul>	PROCEDURES OF PREGNANCY AND CONCURRENT ILLNESSES parated by commas, for the most important complications/procedures.) INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY 42 Chlamydia 43 Gonorrhea 44 Group B streptococcus 18 Hepatitis B (acute infection or carrier) 45 Hepatitis C 16 Herpes simplex virus (HSV) 46 Syphilis 47 Cytomegalovirus (Fetal Death Only) 48 Listeria (Fetal Death Only) 48 Listeria (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 50 Toxoplasmosis (Fetal Death Only) 51 Coxplasmosis (Fetal Death Only) 52 Gonorrhea 53 Group B streptococcal infection 54 Hepatitis B 55 Human immunodeficiency virus (offered) 56 Syphilis 56 Syphilis 57 NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED 00 None 30 Other Pregnancy Complications/Procedures not Listed EPIDEMICS AND/OR DISASTERS 91 COVID 19 Engrumod

#### CERTIFICATES OF LIVE BIRTH AND FETAL DEATH—MEDICAL DATA SUPPLEMENTAL WORKSHEET (Continued)

#### Item 30 (Birth) Item 34 (Fetal Death)

COMPLICATIONS AND PROCEDURES OF LABOR AND DELIVERY (Enter up to 9 codes, separated by commas, for the most important complications/procedures.)

#### ONSET OF LABOR

- 10 Premature rupture of membranes (greater than or equal to 12 hours)
- 07 Precipitous labor (less than 3 hours)
- 08 Prolonged labor (greater than or equal to 20 hours)

#### CHARACTERISTICS OF LABOR AND DELIVERY

- 11 Induction of labor
- 12 Augmentation of labor
- 32 Non-vertex presentation
- 33 Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery
- 34 Antibiotics received by the mother during labor
- 35 Clinical chorioamnionitis diagnosed during labor or maternal temperature greater than or equal to 38°C (100.4°F)
- 19 Moderate/heavy meconium staining of the amniotic fluid
- 36 Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery
- 37 Epidural or spinal anesthesia during labor
- 25 Mother transferred for delivery from another facility for maternal medical or fetal indications

#### COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES

- 38 Rupture of membranes prior to onset of labor
- 13 Abruptio placenta
- 39 Placental insufficiency
- 20 Prolapsed cord
- 17 Chorioamnionitis

#### MATERNAL MORBIDITY

- 24 Maternal blood transfusion
- 40 Third or fourth degree perineal laceration
- 41 Ruptured uterus
- 42 Unplanned hysterectomy
- 43 Admission to ICU
- 44 Unplanned operating room procedure following delivery

#### NONE OR OTHER COMPLICATIONS/PROCEDURES NOT LISTED

- 00 None
- 31 Other Labor/Delivery Complications/Procedures not Listed

## Item 31 (Birth) ABNORMAL CONDITIONS AND CLINICAL PROCEDURES RELATING TO THE NEWBORN Item 35 (Fetal Death) ABNORMAL CONDITIONS AND CLINICAL PROCEDURES RELATING TO THE FETUS (Enter up to 10 codes, separated by commas, for the most important conditions/procedures.)

#### CONGENITAL ANOMALIES (NEWBORN OR FETUS)

- 01 Anencephaly
- 02 Meningomyelocele/Spina bifida
- 76 Cyanotic congenital heart disease
- 77 Congenital diaphragmatic hernia
- 78 Omphalocele
- 79 Gastroschisis
- 80 Limb reduction defect (excluding congenital amputation and dwarfing syndromes)
- 28 Cleft palate alone
- 29 Cleft lip alone
- 30 Cleft palate with cleft lip
- 57 Down's Syndrome—Karyotype confirmed
- 81 Down's Syndrome—Karyotype pending
- 82 Suspected chromosomal disorder—Karyotype confirmed
- 83 Suspected chromosomal disorder—Karyotype pending
- 35 Hypospadias
- 88 Aortic stenosis
- 89 Pulmonary stenosis
- 90 Atresia
- 62 Additional and unspecified congenital anomalies not listed above

#### ABNORMAL CONDITIONS (NEWBORN OR FETUS)

66 Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention)

# ADDITIONAL ABNORMAL CONDITIONS/PROCEDURES (NEWBORN ONLY)

- 71 Assisted ventilation required immediately following delivery
- 85 Assisted ventilation required for more than 6 hours
- 73 NICU admission
- 86 Newborn given surfactant replacement therapy
- 87 Antibiotics received by the newborn for suspected neonatal sepsis
- 70 Seizure or serious neurological dysfunction
- 74 Newborn transferred to another facility within 24 hours of delivery

# NONE OR OTHER ABNORMAL CONDITIONS/PROCEDURES NOT LISTED

- 00 None (Newborn or Fetus)
- 75 Other Conditions/Procedures not Listed (Newborn Only)
- 67 Other Conditions/Procedures not Listed (Fetal Death Only)

#### EPIDEMICS AND/OR DISASTERS

- 91 COVID-19 Confirmed
- 92 COVID-19 Presumed